



MARKER REGULATIONS
Plot Owners

1. Any marker or monument work will be done during regular business hours of the District unless other arrangements are made and approved by the District Manager. Marker/monument work may only be done by an authorized Monument contractor who has provided Silveyville Cemetery District proof of liability insurance.
2. The surface of a flat marker, including borders, must be flat and set at soil level. Inscriptions or other raised areas of a flat marker cannot exceed 1/8 inch in height.
3. Approved maximum marker sizes, including border are as follows:

FLAT MONUMENTS

Single Flat - 24"w x 30"l
Side by side Flat – 28"w x 48"l

UPRIGHT MONUMENT SINGLE PLOT

Single Upright - 26"w x 36"l x 36" h
Section 3 Single (8ft Plot) Upright – 26"w x 30"l x 36" h
Section 3 Single (10ft Plot) Upright 24"w x 30"l x 36" h

UPRIGHT MONUMENT SIDE BY SIDE PLOT

Side by side Upright – 26"w x 52"l x 36" h
Section 3 Side by Side (8ft Plot) – 26"w x 52" l x 36' h
Section 3 Side by Side (10ft Plot) – 24"w x 52" l x 36" h

BABY SECTION (Flat markers only)

Single Flat - 12"w x 18"l

NOTE: All markers must be set in concrete with a mandatory 2" wide concrete border on all four sides to protect the marker. A minimum of 2 inches of concrete underneath, prepared with a flat bottom is required. A 6" wide border is required when including flower vases.

4. Number of markers per plot are:

ALL PLOTS

One marker with up to four names on a single marker or up to 8 names on a single marker for side-by side plots flat or upright.

BABY SECTION PLOT

One marker with one name.

SECTION ONE CREMATION PLOT

One marker, with up to two names

5. Upright markers will be allowed in certain areas of the cemetery as designated by the District Manager and/or the Board of Trustees. Upright markers must be compatible and approved by the District Manager.



6. A refundable marker setting fee will be charged on every interment. If arrangements are made to have a marker installed by a monument company within 6 months, this fee will be refunded. If no arrangements are made within 6 months, this fee will be applied to the cost of a granite marker to be installed by cemetery employees and no refund will be made.
7. Upright markers which have to be removed to allow for an interment; the interment rights owners or their agents are required to make arrangements, at their expense, with an authorized monument company to have the marker re-set within 60 days of the interment date to avoid the imposition of storage fees of \$100 per month.
8. Markers will be of traditional material such as granite, bronze and concrete. Other materials will require approval from the District Manager. Unusual, out of the ordinary or larger markers must be approved by the District Manager, please contact the District Office before having these markers made.
9. Any marker or situation not covered by these regulations must be approved by the District Manager and/or the Board of Trustees before any action may be taken. The submission of the marker approval form (which is available in the SCD office) must be made by the monument company and approved prior to any marker placement.
10. The District will not be responsible for breakage of any markers/monuments. Any repairs deemed necessary by the District due to aging or poor-quality workmanship by a monument company will be the responsibility of the interment rights owner and/or purchaser of the marker.
11. Markers are the property of the purchaser/interment rights owner, who shall be responsible for and obligated to any repairs or maintenance to such markers. All repairs must be done by an authorized monument company.
12. The interment rights owner and/or the person who purchases the marker shall defend and indemnify the District for any injuries arising therefrom.
13. The District assumes no liability for damage, theft, deterioration and/or vandalism of the markers.
14. The District reserves the right to remove or have a monument company repair any marker deemed unsafe at the interment rights owners or their agents expense.
15. Failure to adhere to these regulations may result in one or more of the following: removal of the marker from the gravesite, require the monument company to correct the problem within a limited time period, prohibit the monument company from future installations, or any other action deemed appropriate by the District Manager and/or the Board of Trustees.